MY2026 ISUZU GXZ TRUCK GXZ77NXAFB TRACTOR (10 WHEEL) 9.8 4X2 9MT

VEHICLE DETAILS	
Inventory Number	R13000129
Model Code	
Steering	Right Hand Drive
Year	2026
Make	Isuzu
Model	GXZ
Submodel	GXZ77NXAFB Tractor (10 wheel)
Body Type	Truck
Number of Doors	2
Exterior Colors	White
Interior Colors	Black
Interior Type	Cloth
Country of Manufacturer	Thailand
Country of Origin	Thailand

ENGINE SPECIFICATIONS	
Engine Model	
Fuel Type	Diesel
Induction	
Type	
CC Engine	9.8
Maximum Output Ps / Rpm	
Maximum Torque Nm / Rpm	
Fuel System	
Emission Standard	

DIMENSIONS AND WEIGHT	
Overall Length x Width x Height mm.	6910.00 x 2500.00 x 3820.00
M3 Size	65.991
Wheelbase mm.	
Ground Clearance mm.	
Minimum Turning Radius m	
Fuel Tank Capacity L	370
Seating Capacity Pax	3
Weight (kg)	8,000

TRANSMISSION & CHASSIS	
Transmission Type	9MT
Drive Type	4x2
Suspension Front / Rear	
Front / Rear	
Steering System	
Wheel Type	Steel
Tire Size	11R22.5-16PR

SAFETY FEATURES	
Advanced Driver Assistance Systems (ADAS)	With
Anti-lock Braking System (ABS)	With
Driver and Passenger Airbags	With
Electronic Stability Control (ESC)	With
Lane Departure Warning System	With

INTERIOR FEATURES	
Alternator (Volt/Amp) 24/60	With
Battery (Volt/Amp-hr.) 12/70, 2 pieces	With
Bluetooth connectivity, and support for various media formats	With
Climate Control: Automatic air conditioning	With
Driver to operate various functions without taking hands off the Steering wheel	With
Ergonomic Seating: Designed to provide driver comfort	With
Handbrake with spring brake applied at rear axle	With
Infotainment System: Includes a touchscreen interface with navigation	With
Multiple storage options for tools and personal belongings	With
Steering system is a power steering system with adjustable height and tilt	With
Steering system, minimum turning radius (m.) 7.1	With

EXTERIOR FEATURES	
11R22.5-16PR (Tubeless radial tire)	With
Aerodynamic side mirrors featuring integrated turn signals	With
Heavy-duty Bumpers	With

Incorporates LED headlights and taillights	With
Robust Front Grille	With
Side Steps: Facilitate easy access to the cabin	With
Wheel rim 7.50, rim 22.5, 10 wheel nuts	With