No image available

**MY2026 ISUZU FXZ360 ROCK TRUCK FXZ77QXDTV (EURO 3) 10 WHEELS 9.8 4X2 9MT**

| VEHICLE DETAILS | |
|---|---|
| Inventory Number | R13000147 |
| Model Code | |
| Steering | Right Hand Drive |
| Year | 2026 |
| Make | Isuzu |
| Model | FXZ360 Rock |
| Submodel | FXZ77QXDTV (Euro 3) 10 wheels |
| Body Type | Truck |
| Number of Doors | 2 |
| Exterior Colors | White |
| Interior Colors | Black |
| Interior Type | Cloth |
| Country of Manufacturer | Thailand |
| Country of Origin | Thailand |

| ENGINE SPECIFICATIONS | |
|---|---|
| Engine Model | |
| Fuel Type | Diesel |
| Induction | |
| Type | |
| CC Engine | 9.8 |
| Maximum Output Ps / Rpm | |
| Maximum Torque Nm / Rpm | |
| Fuel System | |
| Emission Standard | |

| DIMENSIONS AND WEIGHT | |
|---|---|
| Overall Length x Width x Height mm. | 8455.00 x 2475.00 x 2957.00 |
| M3 Size | 61.879 |
| Wheelbase mm. | |
| Ground Clearance mm. | |
| Minimum Turning Radius m | |
| Fuel Tank Capacity L | 370 |
| Seating Capacity Pax | 3 |
| Weight (kg) | 7,620 |

| TRANSMISSION & CHASSIS | |
|---|---|
| Transmission Type | 9MT |
| Drive Type | 4x2 |
| Suspension Front / Rear | |
| Front / Rear | |
| Steering System | |
| Wheel Type | Steel |
| Tire Size | 295/80R22.5-18PR |

| SAFETY FEATURES | |
|---|---|
| Anti-lock Braking System (ABS) | With |
| Driver and Passenger Airbags | With |
| Electronic Stability Control (ESC) | With |
| Exhaust Brake History and Braking History Monitoring | With |

| INTERIOR FEATURES | |
|---|---|
| Climate Control: with an air-conditioning system | With |
| comfortably accommodate multiple occupants with ergonomic seating arrangements | With |
| Infotainment System: Includes connectivity options and audio systems | With |
| Paper filter air filter | With |
| Spring-actuated handbrake on rear axle | With |
| Steering system Ball bearing type, power assist, adjustable height and tilt | With |
| Steering system gear ratio (to 1) 22.4 | With |
| Steering system, minimum turning radius (m.) 8.0 | With |

| EXTERIOR FEATURES | |
|---|---|
| 295/80R22.5-18PR (tubeless radial tire) | With |
| Alternator (Volt/Amp) 24/60 | With |
| Automatic Headlights with Auto Light Sensor | With |
| Battery (Volt/Amp-hr.) 12/70, 2 pieces | With |
| Driver and Passenger Airbags | With |
| Exhaust brake assist | With |
| High pressure fuel injection system | With |

| | |
|---|---|
| Pressure cooling system, tube and fin honeycomb radiator with reserve water tank | With |
| Rim and tire size: 8.25 rim, 22.5 rim, 10 lug nuts | With |
| Stainless Steel Fuel Tank | With |
| The ladder chassis is a cross-sectional section of the body | With |
| Variable Intermittent Windshield Wipers | With |